

MULTIMODAL METHOD IN SLOSHING

**МУЛЬТИМОДАЛЬНИЙ МЕТОД У ЗАДАЧАХ
КОЛИВАННЯ РІДИНИ У БАКАХ**

I. A. Lukovsky

*Inst. Math. Nat. Acad. Sci. Ukraine
Tereshchenkivska str., 3, Kyiv, 01601, Ukraine*

A. N. Timokha

*Inst. Math. Nat. Acad. Sci. Ukraine
Tereshchenkivska str., 3, Kyiv, 01601, Ukraine
and
Centre for Autonomous Marine Operations and Systems
Norweg. Univ. Sci. and Technology
Norway, NO-7491, Trondheim*

The multimodal method reduces the free-surface sloshing problem to a (modal) system of nonlinear ordinary differential equations. The method was originally proposed for nonimpulsive hydrodynamic loads but, recently, it was successfully extended to the sloshing-induced slamming. In the 50–60's, the method was employed in the Computational Fluid Dynamics (CFD) but has lost the contest the algorithms of the 90-00's. Nowadays, the method plays the dual role: firstly, as a unique analytical tool for studying nonlinear sloshing regimes, their stability, and chaos as well as for simulations when traditional CFD fails (e.g., containers with a perforated screen) and, secondly, as a source of the modal systems which are analogies of the Korteweg–de Vries, Boussinesq etc. equations but for the contained liquid. The paper surveys the state-of-the-art and existing modal systems, specifies open problems.

Мультимодальний метод зводить задачу із вільною поверхнею про коливання рідини у баках до (модальної) системи нелінійних звичайних диференціальних рівнянь. Спочатку він був запропонований для обчислень неімпульсних гідронавантажень, але нещодавно його було успішно узагальнено на випадок сламінгу в контейнері. Протягом 50–60-х років цей метод використовувався в обчислювальній гідродинаміці, але був замінений алгоритмами, що з'явилися в 90-х роках. Зараз цей метод відіграє подвійну роль: по-перше, він є унікальним інструментом для вивчення нелінійних режимів коливань рідини, їх стійкості, виникнення хаосу, а також для обчислень у випадку, коли традиційні числові методи не можуть бути застосованими (наприклад, випадок резервуара з перфорованим екраном), і по-друге, цей метод є джерелом для побудови модальних систем, аналогів рівнянь Кортвега–де Фріза, Буссінєска та ін., але для обмеженого об'єму рідини. У статті наведено опис стану проблеми та існуючі модальні системи, а також вказано на відкриті проблеми.

1. Introduction. Coupled rigid tank-and-sloshing is a *hybrid mechanical system* in which the tank moves, normally, with six degrees of freedom governed by a system of ordinary differential equations (ODEs) but sloshing is described by a free-surface problem suggesting an infinite number of degrees of freedom. The multimodal method introduces the *hydrodynamic generalised coordinates* (HGCs) and derives a (modal) system (MS) of nonlinear ODEs

with respect to them. The MSs facilitate analytical studies of resonant sloshing regimes, their stability, secondary resonance, chaos, etc. that looks questionable with traditional CFD.

The present review runs through the context of a plenary lecture delivered by the authors to experts in differential equations on the Bogolyubov Reading (DIFF-2013, June, 2013, Sevastopol, Ukraine) where, along with historical aspects, ideas and open problems of the multimodal method, the structure, dimension and features of the derived nonlinear MSs (NMSs), their solutions vs. container shape, liquid filling (depth), and forcing were discussed. The paper is schematically divided into three sections representing the past, the present, and the future of the multimodal method, respectively. Readers interesting in Faraday waves are referred to [92, 93]. Newbies in sloshing are recommended to have one of the textbooks [58, 91, 144] whose subject indexes should help understanding the terminology.

2. The past. Perhaps, the word “*multimodal*” comes from [50]. However, the multimodal method was first proposed forty years before, in the 50–60’s, when researchers were first real challenged by sloshing in aircraft, spacecraft and marine containers. An enthusiastic atmosphere of these years is described in the memoir article of Abramson [3] who headed the corresponding NASA program. A scientific heritage of the pioneering studies was systematised in [2, 34, 67, 89, 203, 209, 210] (USA) and [1, 66, 103, 110, 154, 155, 165, 166, 168, 190] (Soviet Union). An emphasis was, primary, on *theoretical linear* (small-amplitude) sloshing, *experimental nonlinear* sloshing phenomena, and slosh-suppressing devices. The USA collection of experiments was best reviewed in [2]. Experiments of the SU-scientists were conducted in Moscow, Kyiv [110, 144], Dnipropetrovsk [16], and Tomsk [17, 19] but they remain, mostly, unpublished.

The **linear multimodal method** (see original [174, 181, 189], canonical [66, 145, 154, 214] and contemporary [58, 170] descriptions) was proposed in the 50’s to reduce the linear sloshing problem to an infinite set of linear oscillators (ODEs) called, all together, the *linear MS (LMS)* in which the inhomogeneous terms are functions of the six generalised coordinates (degrees of freedom) of the rigid body motion but the unknowns are HGCs responsible for amplifications (relative to the hydrostatic shape) of the natural sloshing modes. The method interprets sloshing as a conservative mechanical system with an infinite number of degrees of freedom; it needs to know, *a priori*, the *natural sloshing modes*, φ_n , and frequencies, σ_n , as well as the linear *Stokes–Joukowski potentials*, $\Omega_0 = (\Omega_{01}, \Omega_{02}, \Omega_{03})$. Coupling LMS and dynamic equations of the carrying rigid container is facilitated by the linearised *Lukovsky formulas* which express the hydrodynamic forces and moments in terms of HGCs. The hydrodynamic coefficients in both LMS and the Lukovsky formulas are integrals over Ω_0 , φ_n , and their derivatives. This means that having known Ω_0 and φ_n , by utilising analytical and/or numerical methods of ODEs makes it possible to find the *semianalytical solution* of any linear sloshing problem (see Chap. 5 of [58] and [59, 101, 102, 226]) and, thereby, describe the *linear coupled “rigid tank-sloshing” dynamics*.

The three Stokes–Joukowski velocity potentials, Ω_{0i} , $i = 1, 2, 3$, deduce the inhomogeneous forcing terms associated with three angular degrees of freedom of the rigid tank. They are solutions of the Neumann boundary problems in the mean (hydrostatic) liquid domain Q_0 (the linear Stokes–Joukowski potential problems, LSJPPs) which were first derived by Nikolay Joukowski (1885) [99] when examining a spatially-moving rigid body with a cavity completely filled by an ideal incompressible liquid. Exact analytical Ω_{0i} are a rare exception (Chap. 5 of [58]).

The natural sloshing modes are eigenfunctions of a spectral boundary problem (the natural sloshing problem, NSP) in Q_0 . The spectral parameter κ appears in the mean free-surface (Σ_0) boundary condition and $\sigma_n = \sqrt{\kappa_n g}$ (g is the gravity acceleration). The traces $\varphi_n|_{\Sigma_0}$ define

the standing wave patterns which were first described for an upright circular basin by Mikhail Ostrogradsky. His manuscript [182] was submitted to the Paris Academy of Sciences in 1826 and, later on, revisited by Poisson and Rayleigh [35] for other tank shapes. Rigorous mathematical theory of NSP was created in the 60's (Chap. VI in [66] and [39, 170]). It states, in particular, that (i) the spectrum consists uniquely of positive eigenvalues, κ_n , with the only limited point at the infinity (in contrast to the external water waves problem which yields a continuous spectrum) and (ii) $\varphi_n|_{\Sigma_0}$ constitute, together with a nonzero constant, a Fourier basis on Σ_0 . The fact (i) is important for understanding why the Kordeweg–de Vries, Boussinesq etc. equations (sea waves) and MSs (contained liquid) follow from the same free-surface problem but are of the different mathematical nature. The fact (ii) is a foundation stone for introducing the HGCs. In the 60–70's, S. Krein [106, 109] (see also [28, 29]) generalised these results to a *viscous incompressible liquid*, but Kopachevskii – to a *capillary one* (Part II in [172] and [106, 107]).

In the 50–80's, the research focus was on constructing *analytically approximate solutions of NSP and LSJPP*. Brilliant ideas were proposed (see a collection of them in [145] and an amazing solution for circular/spherical tank in [23]). Because of the volume conservation condition, these solutions were, normally, obtained by the Trefftz method suggesting an analytical harmonic functional basis exemplified by the harmonic polynomials [145] whose completeness in the star-shaped domains was proved in [216, 217]. The Trefftz solutions become especially efficient and provide a uniform convergence when the corner-point singularity [66, 104, 105, 223, 224] is accounted for [59, 65]. Nowadays, the harmonic polynomials are extensively used in numerical methods, e.g., in the Harmonic Polynomial Cell (HPC) method [197, 198]. Growing computer facilities of the 90-00's made finding φ_n and Ω_0 *no problem*. An exception may be nonsmooth tanks equipped with baffles, screens, etc. that leads to the strongly singular behaviour of $\nabla\varphi_n$ [59–62, 65, 79].

The ***theoretical nonlinear sloshing*** was founded by Penny and Price [184], Moiseev [167], Narimanov [175], and Perko [169, 185] in the 50–60's. By adopting the perturbation theory technique [184], **Moiseev** [167] showed how to construct, analytically, an *asymptotic steady-state (periodic, frequency-domain)* solution of the nonlinear sloshing problem in a rigid tank performing a prescribed horizontal and/or angular small-amplitude harmonic motion with the forcing frequency σ close to the lowest natural sloshing frequency σ_1 . He assumed a finite liquid depth of an ideal incompressible liquid with irrotational flows and proved that, if the nondimensional forcing amplitude (scaled by the tank breadth) is a small parameter $\epsilon \ll 1$, the primary excited mode(s) is of the order $O(\epsilon^{1/3})$ and the matching resonant asymptotics (the so-called Moiseev detuning) is $|\sigma^2 - \sigma_1^2|/\sigma_1^2 = O(\epsilon^{2/3})$. The Moiseev technique implicitly assumed that there is no the so-called *secondary resonance* [22, 56–58, 225]. It was originally realised for a two-dimensional rectangular tank [44, 178]. Other tank shapes were considered in [11, 89, 151, 202]. Obtaining the Moiseev solution yields huge and tedious derivations. In the 80's, looking for an *almost-periodic* sloshing, **Miles** [157, 158] generalised Moiseev's results by deriving the so-called *Miles equations* which govern a slow-time variation of dominant, $O(\epsilon^{1/3})$, amplitudes of the primary excited HGC(s). He considered a horizontal harmonic excitation of an upright circular cylindrical tank, adopted the Moiseev asymptotic ordering and detuning; separation of the fast and slow time scales which was done, directly, in the *Bateman–Luke variational* principle [9, 84, 126]. The Miles equations were later derived for an upright rectangular tank. Using these equations is a rather popular approach in applied mathematical studies on almost-periodic resonant sloshing, in detecting periodic orbits and clarifying the chaos [88, 157, 158]. Both horizontal and vertical (Faraday waves) harmonic excitations were in focus [70, 71, 85, 88,

158–163]; [108, 109] used the Miles equations for studying the “rigid tank-contained liquid” system with a limited power supply forcing.

By using the perturbation theory, **Narimanov** [175] derived a *historically-first* version of *weakly-nonlinear modal systems* WNMSs. Narimanov did not know Mosieev’s results, but he postulated asymptotic relationships between the HGCs and *hydrodynamic generalised velocities* (HGVs) as if these may follow from the Moiseev solution. The original derivations in [175] (the same in [204–207]) have had algebraic errors which were corrected by Lukovsky [136, 140, 144, 176]. Narimanov’s technique leads to huge and tedious derivations increasing, dramatically, with increasing number of HGCs. As a consequence, all existing Narimanov’s modal systems are of a low dimension; they couple from two to five HGCs. These systems were derived for upright tanks of circular, annular and rectangular cross-sections, conical and spherical tanks as well as for an upright circular cylindrical tank with a rigid-ring baffle [80, 136, 140, 176]. Nowadays, this *method is rarely employed* being replaced by variational versions of the multimodal method [127–129] based, normally, on the Bateman–Luke variational principle [9, 58, 84, 126, 144] which deduces, in a natural way, both dynamic and kinematic relations of the sloshing problem [58, 140, 195, 221, 222]. Most probably, such a variational multimodal method was first proposed in 1976 by **Miles** and **Lukovsky** [140, 156] who derived, independently, a *fully nonlinear modal system* (Miles–Lukovsky system, MLS) with respect to HGCs and HGVs for sloshing in an upright tank performing a prescribed translatory motion. Later on, Lukovsky derived the MLS for an arbitrary rigid tank motion [50, 137], proposed the so-called *nonconformal mapping technique* to get the MLS for tanks with non-vertical walls [63, 75, 133, 136, 143], and derived the so-called *Lukovsky formulas* for the hydrodynamic force and moment [140, 144] (Chap. 7 of [58] gives an alternative derivation). He also showed how to use the Bateman–Luke formalism for deriving the dynamic equations of the coupled “rigid tank-contained liquid” system [139, 140] and to incorporate the damping into the variational formulation [141, 144]. Taking asymptotic relationships between HGCs and HGVs reduces MLS to a weakly-nonlinear form yielding what is today called the *weakly-nonlinear multimodal systems* (WNMSs, [58, 86, 130, 134, 144]). Both MLS and WNMs require that the *analytically approximate natural sloshing modes*, φ_n , and the *nonlinear Stokes–Joukowski potentials*, Ω , are analytically continuable over Σ_0 . This and other limitations are discussed in Chap. 7 of [58] and in [63, 86, 134].

The rare nonlinear sloshing simulations of the 60–80’s were based on the Galerkin scheme, finite difference (maker-and-cell etc.) and finite element methods [6, 40, 41, 45, 171, 173, 180, 191, 200, 208]. By expanding the velocity potential in a Fourier series by the natural sloshing modes, **Perko** [169, 185] proposed a *numerical multimodal method* for simulating the short-term transients. In the 70–80’s, Perko’s method was used, with modifications, by **Chakhlov** [18, 37, 38] and **Limarchenko** [114–117, 119, 121]. Because Limarchenko also utilised the Lagrange variational principle and the perturbation theory, he has proposed, in fact, a *weakly-nonlinear variational numerical multimodal method* which is, generally, not applicable for analytical studies but rather for *ad hoc* simulations.

The **CFD simulations** of the nonlinear sloshing arises *en masse* only in the 90’s. The success was initially associated with FLOW-3D which is a famous Navier–Stokes commercial solver of the 90-00’s (numerous examples were given by Solaas [201] who discussed advantages and drawbacks). Volume of Fluid (VoF), Smoothed Partitions Hydromechanics (SPH), and their modifications provided, using a parallel computation, rather accurate, efficient and robust simulations. Readers are referred to [25] which reviews the numerical sloshing of the 80–90’s.

3. The present. In the 00’s, the *theoretical nonlinear sloshing* split into almost-independent

numerical and *analytical* directions. Recent advances of the **numerical sloshing** are reported in [192] (see also introductions in [24, 42, 82, 211, 219, 227, 228]). The best CFD solvers are based on a viscous and fully-nonlinear statement and allow, by conducting simulations with different initial scenarios (conditions), for modelling the special free-surface phenomena: fragmentation, wave breaking, overturning, roof and wall impacts, and flip-through. These phenomena cannot be accurately described within the framework of physical (mathematical) models adopted by the **analytical sloshing** that are, typically, of the weakly-nonlinear nature, assume ideal potential flows, and smooth instant free-surface patterns. In the XIX century, the same splitting has occurred in the sea waves theory which is nowadays investigated, almost independently, with CFD and approximate analytical models. The latter models are exemplified by the Kordeveg – de Vries, Boussinesq etc. partial differential equations [183]. The approximate analytical models are typically not used in practical computations but rather focus on quantifying and classifying surface waves, their stability, chaos, and others vs. the initial scenarios and input parameters, the cases, when the CFD is not very efficient.

Because the *Perko type method* pursues direct numerical simulations but employs simplified mathematical models of the analytical sloshing, it lost the context both CFD (in an accurate computing of the hydrodynamic loads and descriptions of the aforementioned free-surface phenomena) and the *analytical sloshing* (in the input/initial parameter studies). This explains why the method is rarely used, today, restricted to a few fully-nonlinear simulations by MLS for a rectangular tank [111, 196] and weakly-nonlinear ones in [47, 55, 118–120, 122–124]. Another drawback of the Perko type simulations is that these are unrealistically *stiff* so that artificial damping terms must be incorporated to damp the rising parasitic higher harmonics [47, 55] and, thereby, to facilitate computations on a relatively long time scale. Conducting the simulations may be justified for the screen-equipped tanks when the screen-induced damping is very high and there are no reasons in the artificial damping terms [122–124].

Reincarnation of the multimodal method as a powerful tool of the *analytical sloshing* is, to some extent, explained by growing practical interest to the smooth (without internal structures) Liquefied Natural Gas (LNG) tanks. The revolutionary paper [50] re-derived MLS and initiated a series of publications on WNMSs, mostly, for *upright tanks of rectangular and circular (annular) cross-sections*, when exact analytical φ_n and Ω_0 exist, and liquid depths are finite. The WNMSs were applied for description of steady-state and transient resonant waves; they were validated by model tests.

The **two-dimensional** weakly-nonlinear resonant sloshing in a **smooth rectangular tank** with a **finite liquid depth** was studied by using diverse WNMSs [50, 56, 68, 86, 87, 94, 95, 98]. The forcing was small, $O(\epsilon)$, and the forcing frequency σ was close to the lowest natural sloshing frequency σ_1 . The system [50] was based on the Narimanov – Moiseev asymptotics. Transient and steady-state predictions were validated for both a prescribed harmonic excitation [50] and a coupling with external surface waves (floating tank) [112, 113, 193]. The steady-state resonant sloshing was characterised by the Duffing like response curves with the theoretically soft spring as the *depth-to-breadth ratio* $> 0,3368\dots$ and the hard spring is for $< 0,3368\dots$ so that the *theoretical nondimensional critical depth* $= 0,3368\dots$ [58, 220]. A purely mathematical analysis of the WNMS was reported in [68, 86, 87].

The Narimanov – Moiseev WNMS [50] becomes physically inapplicable with *increasing the forcing amplitude* and at the *critical and small (shallow) liquid depths* due to the **secondary resonance**, $n\sigma \approx \sigma_n$ for some n , that leads to a nonlinearity-driven amplification of the $n\sigma$ harmonics and an energy transfer from primary (σ_1) to secondary (σ_n) excited HGCs. Handling

the secondary resonance for a finite liquid depth requires the so-called *adaptive modal systems* (AMSs) [56, 87] suggesting a few extra dominant (secondary excited) HGCs $\sim O(\epsilon^{1/3})$ for which a dominant higher harmonics contribution is theoretically predicted ($n\sigma \approx \sigma_n$). The adaptive multimodal method concept was extensively validated by experiments [55–57]. Whereas the secondary resonance occurs, the response curves are characterised by double peaks at the primary resonance zone; the peaks grow with increasing the forcing amplitude. The AMSs and their structure are intensively discussed in Chap. 8 of [58]. Based on the AMS modelling, [87] showed that the *critical depth* is a function of the *forcing amplitude* ($0,3368\dots$ is the limit case as $\epsilon \rightarrow 0$) and explains the experimental value $0,28$ in [69]. The AMSs [94, 95, 98] use a *sophisticated asymptotic ordering* which is not based on the secondary resonance concept but rather on experimental observations of the surface wave patterns.

The commensurate/almost-commensurate *shallow/small depth* liquid sloshing spectrum leads to a hydrodynamic jump [218]/multiple secondary resonances [57]. Deriving the WNMS [57] for small liquid depths in a rectangular tank needed a Boussinesq fourth-order asymptotic ordering (combining Moiseev's and Kordeweg–de Vries' asymptotics [177–179]) where all the HGCs and the nondimensional liquid depth were of the same order $O(\epsilon^{1/4})$. By truncating this infinite-dimensional system and incorporating the *linear damping* terms (due to the laminar boundary layer and the bulk viscosity; Chap. 6 in [58] and [27, 100, 152, 164, 215]) provided a good agreement with experiments [32, 33, 57], for both steady-state and transient sloshing. As in Chester's experiments [32, 33, 57], the theoretical response curves [5, 57] had then a fingers-like shape with many peaks at the primary resonance zone ($\sigma \approx \sigma_1$). Increasing the excitation amplitude and/or decreasing the liquid depth made the small-depth WNMS [57] physically inapplicable due to the breaking and overturning waves, bores as well as the free-surface fragmentation which yield an enormously large damping. A detailed experimental classification of the shallow water sloshing (four different wave types were described), in general, and these phenomena, in particular, was reported in Chap. 8 of [58]. Damping due to the aforementioned free-surface phenomena is similar to that for the *roof impact* whose effect was included into the WNMSs of [50, 56] in [49] by using the Wagner theory. Accounting for the damping in the shallow water case is a challenge.

The damping due to the flow separation through a *perforated screen* was included into the WNMSs [46–48, 122] for sloshing in a rectangular two-dimensional tank with a finite depth. For smaller solidity ratios of the screen, $0 < Sn < 0,5$, and a relatively small forcing, utilising the pressure drop condition [15] yielded an integral term into the existing modal systems [46, 122]; the modified WNMSs showed a satisfactory agreement with experiments. A higher solidity ratio, $0,5 < Sn < 1$, also modified the natural sloshing modes and frequencies [60] and, thereby, both linear [48] and nonlinear (increasing excitation amplitudes) [47] WNMSs changed their analytical structure; the secondary resonance became then evident so that the secondary resonant peaks in the primary resonant zone differed from those for the smooth rectangular tank. Numerous WNMSs for various tanks with perforated screens were derived, studied and validated in [83, 122–125].

Generalisation of the two-dimensional results [50] to the case of a *three-dimensional rectangular* tank was done in [52]. A focus was on the *nearly-square cross-section* leading to the degenerating Stokes natural sloshing modes including those two for the lowest natural frequency σ_1 . The corresponding Narimanov–Moiseev WNMS in [52, 54] has nine degrees of freedom with the two dominant $O(\epsilon^{1/3})$ HGCs. The system provided an accurate *classification* of steady-state regimes (planar, diagonal, nearly-diagonal, and swirling) for both longi-

tudinal and diagonal harmonic tank excitations [51, 52]. The asymptotically periodic solution of the WNMS implies an amazing 3D bifurcation diagram, especially, when the cross-section aspect ratio changes from one [20, 21, 54]; a good qualitative agreement with experiments was shown, including for estimating the chaos region. On the other hand, the theoretical transient and steady-state wave response was not quantitatively supported by experiments due to the secondary resonance effect which becomes especially evident for swirling, even if the excitation amplitude was small enough. Accounting for the secondary resonance effect led to the multi-dimensional AMSs [53, 55] which well predicted swirling and its stability ranges. The numerical stability also showed that the two stable periodic dominant HGCs could co-exist with the unstable higher order HGCs demonstrating an irregular character. This was an extra source of discrepancy. Another source is that the damping is satisfactory predicted for the lowest HGCs (Chap. 6 of [58] and [52, 55, 100, 152, 164]) but not for the higher ones. The latter damping was strongly affected by the wave breaking and overturning observed in [51, 52, 55]. The adaptive WNMs can also be based on a sophisticated asymptotic ordering deduced from experiments. An example is [97] in which the resonant sloshing subject to obliquely horizontal harmonic excitation was studied.

In the 80's, Lukovsky [131, 139, 140] derived the five-dimensional WNMS for sloshing in an **upright circular cylindrical tank**, constructed its asymptotic periodic solutions (planar and swirling), studied their stability by the first Lyapunov method, established the chaos in a certain frequency range, and validated these classification results by experiments [4]. The paper [96] re-derived this system, again, classified the steady-state regimes, and conducted the Runge–Kutta simulations (as in [139, 144]). This WNMS and the constructed periodic solutions were also revisited in [77] and Chap. 9 of [58]. The paper [77] examined the nodal curves patterns theoretically justifying that these are not a moving straight line. Chap. 9 of [58] showed that the theoretical classification of the periodic regimes in [140, 144] is, generally, supported by the model tests in [194]. The fifth-order asymptotic ordering ($O(\epsilon^{1/5})$ for the two dominant HGCs) gave a negligible contribution to this classification [148].

Theoretically, the Narimanov–Moiseev asymptotics requires an infinite set of the second and third order HGCs included into WNMSs for **axisymmetric tanks** [63, 134]. For upright circular cylindrical tank, such a 'complete' WNMS was derived and analysed in [130]. The infinite set of the higher-order HGCs did not influence the Lukovsky classification results on the periodic steady-state solutions except for isolated liquid depths and forcing frequencies when the secondary resonance was expected (see the depths listed in [22, 80]). Unfortunately, the modal systems from [140] and [130] were not able to quantify the measured steady-state wave amplitudes in [194]. The discrepancy could be clarified by the aforementioned secondary resonance (requiring the AMSs which were not derived for this tank shape, yet) and by the surface tension which was neglected in the multimodal analysis, yet.

Lukovsky also derived and analysed the corresponding five-dimensional WNMS [140, 186, 187] for an **upright annular cylindrical tank**. It was re-derived and modified by adding some extra third-order HGCs in [213], where new model tests were conducted as well. Comparing the experimental and theoretical response curves, [213] showed a satisfactory agreement for the planar wave regime but, even though speculative damping ratios were included to fit the experimental data, a discrepancy was still evident for swirling. An attempt to derive a Narimanov–Moiseev WNMS for a noncentral pile position was conducted in [212]. Sloshing in an upright **compartment** tank of circular and annular cross-sections was studied in [149, 150] by using the same research scheme as in [140, 144].

For tanks with *nonvertical walls*, there are no exact analytical natural sloshing modes and the normal presentation of the free surface fails. The later problem could be resolved by utilising the *nonconformal mapping technique* proposed by Lukovsky [135, 136, 138, 176] in 1975. The technique was combined with the Narimanov scheme [136, 137], used in the Perko like simulations [119–121], and incorporated into the Miles–Lukovsky variational method [63, 140, 144]. However, the analytically-given multidimensional WNMSs were derived only for *conical* and *spherical* tanks. The main difficulty for a further expansion onto other tank shapes remains the absence of the required analytically approximate natural sloshing modes which exactly satisfy the Laplace equation and the slip conditions on the nonvertical walls as well as allow for an *analytical continuation over the mean free surface* (see limitations of the multimodal method discussed in [134, 144] and Chap. 9 of [58]).

According to [10, 11, 36], the flat mean free surface in a *circular conical* tank was replaced by a spherical cap and, thereby, an approximate analytical solution of NSP in terms of spherical functions was constructed. The corresponding multidimensional WNMS was derived in [146, 147]. The latter result was step-by-step improved in [73, 74, 76, 81, 132, 140, 142] (see also references therein). Analytically approximate natural sloshing modes without the aforementioned replacement were constructed in [73, 81, 132]. Based on these modes, the Narimanov–Moiseev type five-dimensional WNMSs for *nontruncated and truncated circular V-conical tanks* were derived and studied in [75, 81]. The systems contain extra (relative to the upright circular tank) nonlinear terms expressing the so-called *geometric nonlinearity* but the steady-state analysis leads to the same qualitative results extracting the planar and swirling wave regimes as well as the chaos in a certain frequency range. [78] focused on the nodal lines motions generalising the results from [77]. An emphasis was on the secondary resonance expectations. The theoretical secondary resonance analysis [75, 81] and a comparison of the theoretical results with experiments [26, 74, 75, 153] showed that the higher harmonics due to the secondary resonance indeed matter. The ANMs are required for almost all semiapex angles. This is a challenge.

The required analytically approximate natural sloshing modes for *circular* and *spherical* tanks were constructed in [7, 8, 61, 62]. Based on those solutions from [8, 61], a complete infinite-dimensional Narimanov–Moiseev type WNMS (a generalisation of [130]) was explicitly derived in [63, 64] whose steady-state solutions were classified as well. The classification results were supported by experiments [203] for the depth-to-diameter ratios $\leq 0,5$. However, multiple secondary resonances and an experimentally-observed free-surface fragmentation (accompanied by overturning waves) made this WNMS inapplicable for higher tank fillings and with increasing the forcing amplitude. The Narimanov–Moiseev type infinite-dimensional WNMS for a circular tank was constructed but not analysed in [30]. The circular tank shape causes multiple secondary resonances for almost all tank fillings [16, 59]. This makes [30] weakly applicable for strongly nonlinear sloshing.

4. The future. There are *extensive* and *intensive* challenges of the nonlinear multimodal method. Whereas *extensive* challenges are mainly associated with generalisation and expansion of the multimodal method onto new practically-important sloshing problems (see, e.g., in Chap. 1 of [58] and [31, 144]), *intensive* ones imply improvement of the method and WNMSs (from physical and mathematical points of view) as well as dedicated rigorous mathematical studies (uniquely presented by [68, 86, 87] which deal with the modal systems from [50, 56]). Obvious generalisations are related to tanks of complex shape. One should construct analytically approximate natural sloshing modes of special kind and develop the tensor algebra related

to the curvilinear coordinates [144] employed for these tank shapes. Finally, because derivations of WNMSs for complex tank shapes are especially tedious, a challenge is to code a computer algebra which enables a computer-based derivation as it was done for an upright circular cylindrical tank in [72].

The two important physical challenges are an adequate account for damping and surface tension. Chap. 6 of [58] reviews analytical methods which could be used for incorporating the damping-related terms in WNMSs. However, these were only realised for a linear damping due to the laminar boundary layer and the bulk viscosity, and, recently, for perforated screens [47, 48, 122]. Damping due to baffles and piles should be the next goal. The big challenge is to account for damping due to free-surface fragmentation, overturning and breaking waves. For nonlinear sloshing, the surface tension requires including the dynamic contact angle effect [13, 14]. It is not clear yet, how to include this effect into the multimodal method.

Finally, we believe that the multimodal method may help to describe an attractive swirling-induced V-constant rotation of the liquid [43] which was observed in famous experiments [12, 89, 90, 188, 194] but is not explained yet.

1. *Abgaryan K. A., Rapoport I. M.* Rockets dynamics (in Russian). — Moscow: Mashinostroenie, 1969.
2. *Abramson H. N.* The dynamic behavior of liquids in moving containers with applications to space vehicle technology // Techn. Rept. NASA, SP-106. — Washington: NASA, 1966.
3. *Abramson H. N.* Dynamics of contained liquids: A personal odyssey // Appl. Mech. Rev. — 2003. — **56**, № 1. — P. R1–R7.
4. *Abramson H. N., Chu W. H., Kana D. D.* Some studies of nonlinear lateral sloshing in rigid containers // J. Appl. Mech. — 1966. — **33**, № 4. — P. 66–74.
5. *Antuono M., Bouscasse B., Colagrossi A., Lugni C.* Two-dimensional modal method for shallow-water sloshing in rectangular basins // J. Fluid Mech. — 2012. — **700**. — P. 419–440.
6. *Arai M.* Experimental and numerical studies of sloshing in liquid cargo tanks with internal structures // IHI Eng. Rev. — 1986. — **19**. — P. 1–9.
7. *Barkowiak K., Gampert B., Siekmann J.* On liquid motion in a circular cylinder with horizontal axis // Acta Mech. — 1985. — **54**. — P. 207–220.
8. *Barnyak M., Gavrilyuk I., Hermann M., Timokha A.* Analytical velocity potentials in cells with a rigid spherical wall // Z. angew. Math. und Mech. — 2011. — **91**, № 1. — S. 38–45.
9. *Bateman H.* Partial differential equations of mathematical physics. — Cambridge Univ. Press, 1932.
10. *Bauer H. F.* Flüssigkeitsschwingungen in Kegelbehälterformen // Acta Mech. — 1982. — **43**. — P. 185–200.
11. *Bauer H. F., Eidel W.* Non-linear liquid motion in conical container // Acta Mech. — 1988. — **73**, № 1–4. — P. 11–31.
12. *Berlot R. R.* Production of rotation in confined liquid through translational motions of the boundaries // J. Appl. Mech. Trans. ASME. — 1959. — **26**. — P. 513–516.
13. *Billingham J.* Nonlinear sloshing in zero gravity // J. Fluid Mech. — 2002. — **464**. — P. 365–391.
14. *Billingham J.* On a model for the motion of a contact line on a smooth solid surface // Eur. J. App. Math. — 2006. — **17**. — P. 347–382.
15. *Blevins R. D.* Applied fluid dynamics. — Malabar, FL: Krieger Publ. Co., 1992.
16. *Bogomaz G. I., Sirota S. A.* Oscillations of a liquid in containers: methods and results of experimental studies (in Russian). — Dnepropetrovsk: Nat. Space Agency Ukraine, 2002.
17. *Bogoryad I.* Oscillations of a viscous liquid in a cavity of a rigid body (in Russian). — Tomsk: Tomsk Univ., 1999.
18. *Bogoryad I., Druzhinin I., Chakhlov S.* Study of transient processes with large disturbances of the free surface of a liquid in a closed compartment (in Russian) // Dynamics of Spacecraft Apparatus and Investigation of the Space. — Moscow: Mashinostroenie, 1986. — P. 194–203.

19. *Bogoryad I. B., Druzhinin I. A., Druzhinina G. Z., Libin E. E.* Introduction to the dynamics of vessels with a liquid (in Russian). — Tomsk: Tomsk Univ., 1977.
20. *Bridges T. J.* On secondary bifurcation of three-dimensional standing waves // *SIAM J. App. Math.* — 1986. — **47**. — P. 40–59.
21. *Bridges T. J.* Secondary bifurcation and change of type for three dimensional standing waves in finite depth // *J. Fluid Mech.* — 1987. — **179**. — P. 137–153.
22. *Bryant P. J.* Nonlinear progressive waves in a circular basin // *J. Fluid Mech.* — 1989. — **205**. — P. 453–467.
23. *Budiansky B.* Sloshing of liquid in circular canals and spherical tanks // *J. Aerospace Sci.* — 1960. — **27**, № 3. — P. 161–172.
24. *Buldakov E.* Lagrangian modelling of fluid sloshing in moving tanks // *J. Fluids and Structures.* — 2014. — **45**. — P. 1–14.
25. *Cariou A., Casella G.* Liquid sloshing in ship tanks: a comparative study of numerical simulation // *Marine Structures.* — 1999. — **12**, № 3. — P. 183–198.
26. *Casciati F., Stefano A. D., Matta E.* Simulating a conical tuned liquid damper // *Simulation Modelling Practice and Theory.* — 2003. — **11**. — P. 353–370.
27. *Case K. M., Parkinson W. C.* Damping of surface waves in an incompressible liquid // *J. Fluid Mech.* — 1957. — **2**. — P. 172–184.
28. *Chernous'ko F.* Motion of a rigid body with cavities containing viscous liquid. — Moscow: Nauka, 1968.
29. *Chernous'ko F. L.* On free oscillations of a viscous fluid in a vessel // *J. Appl. Math. and Mech.* — 1966. — **30**, 5. — P. 990–1003.
30. *Chernova M., Timokha A.* Sloshing in a two-dimensional circular tank. Weakly-nonlinear modal equations // *Trans. Inst. Math. Nat. Acad. Sci. Ukraine.* — 2013. — **10**, № 3. — P. 262–283.
31. *Chernova M. O., Lukovsky I. A., Timokha A. N.* Generalizing the multimodal method for the levitating drop dynamics // *ISRN Math. Phys.* — 2012. — Article ID 869070. — P. 1–19.
32. *Chester W.* Resonant oscillation of water waves. I. Theory // *Proc. Roy. Soc. London.* — 1968. — **308**. — P. 5–22.
33. *Chester W., Bones J. A.* Resonant oscillation of water waves. II. Experiment // *Proc. Roy. Soc. London.* — 1968. — **306**. — P. 23–30.
34. *Cooper R. M.* Dynamic of liquid in moving containers // *ARS J.* — 1960. — **30**, № 8. — P. 725–729.
35. *Craik A. D.* The origin of water wave theory // *Ann. Rev. Fluid Mech.* — 2004. — **36**. — P. 1–28.
36. *Dokuchaev L. V.* On the solution of a boundary value problem on the sloshing of a liquid in conical cavities // *Appl. Math. and Mech.* — 1964. — **28**, № 1. — P. 601–602.
37. *Druzhinin I. A., Chakhlov S. V.* Computation of nonlinear oscillations of liquid in a vessel (the Cauchy problem) // *Dynamics of Elastic and Rigid Bodies interacting with a Liquid.* — Tomsk: Tomsk Univ., 1981.
38. *Druzhinin I. A., Chakhlov S. V.* Computation of nonlinear sloshing (Cauchy problem) (in Russian) // *Dynamics of Elastic and Rigid Bodies Interacting with a Liquid / Proc. IV Sem. (September, 15–18, 1980).* — Tomsk, 1981. — P. 85–91.
39. *Eastham M.* An eigenvalue problem with parameter in the boundary condition // *Quart. J. Math.* — 1962. — **13**. — P. 304–320.
40. *Easton C. R., Catton I.* Initial value technique in free-surface hydrodynamics // *J. Comput. Phys.* — 1972. — **9**. — P. 424–439.
41. *Eguchi T., Niho O.* A numerical simulation of 2-dimensional sloshing problem // *Mitsui Zosen Techn. Rev.* — 1989. — № 138. — P. 1–19.
42. *Elahi R., Passandideh-Fard M., Javanshir A.* Simulation of liquid sloshing in 2D containers using the volume of fluid method // *Ocean Eng.* — 2015. — **96**. — P. 226–244.
43. *Faller A.* The constant- V vortex // *J. Fluid Mech.* — 2001. — **434**. — P. 167–180.
44. *Faltinsen O. M.* A nonlinear theory of sloshing in rectangular tanks // *J. Ship Res.* — 1974. — **18**, № 4. — P. 224–241.

45. *Faltinsen O. M.* A numerical method of sloshing in tanks with two-dimensional flow // *J. Ship Res.* — 1978. — **22**, № 3. — P. 193–202.
46. *Faltinsen O. M., Firoozkoohi R., Timokha A. N.* Analytical modeling of liquid sloshing in a two-dimensional rectangular tank with a slat screen // *J. Eng. Math.* — 2011. — **70**, № 1–2. — P. 93–109.
47. *Faltinsen O. M., Firoozkoohi R., Timokha A. N.* Effect of central slotted screen with a high solidity ratio on the secondary resonance phenomenon for liquid sloshing in a rectangular tank // *Phys. Fluids.* — 2011. — **23**. — Art. No. 062106.
48. *Faltinsen O. M., Firoozkoohi R., Timokha A. N.* Steady-state liquid sloshing in a rectangular tank with a slat-type screen in the middle: quasi-linear modal analysis and experiments // *Phys. Fluids.* — 2011. — **23**. — Art. No 042101.
49. *Faltinsen O. M., Rognebakke O. F.* Sloshing // *NAV 2000: Int. Conf. Ship and Shipping Res.: 13th Congr. (19–22 September 2000, Venice (Italy): Proc.* — 2000.
50. *Faltinsen O. M., Rognebakke O. F., Lukovsky I. A., Timokha A. N.* Multidimensional modal analysis of nonlinear sloshing in a rectangular tank with finite water depth // *J. Fluid Mech.* — 2000. — **407**. — P. 201–234.
51. *Faltinsen O. M., Rognebakke O. F., Timokha A. N.* Classification of three-dimensional nonlinear sloshing in a square-base tank with finite depth // *J. Fluids and Structures.* — 2005. — **20**, № 1. — P. 81–103.
52. *Faltinsen O. M., Rognebakke O. F., Timokha A. N.* Resonant three-dimensional nonlinear sloshing in a square base basin // *J. Fluid Mech.* — 2005. — **487**. — P. 1–42.
53. *Faltinsen O. M., Rognebakke O. F., Timokha A. N.* Resonant three-dimensional nonlinear sloshing in a square base basin. Pt. 2. Effect of higher modes // *J. Fluid Mech.* — 2005. — **523**. — P. 199–218.
54. *Faltinsen O. M., Rognebakke O. F., Timokha A. N.* Resonant three-dimensional nonlinear sloshing in a square base basin. Pt 3. Base ratio perturbation // *J. Fluid Mech.* — 2006. — **551**. — P. 93–116.
55. *Faltinsen O. M., Rognebakke O. F., Timokha A. N.* Transient and steady-state amplitudes of resonant three-dimensional sloshing in a square base tank with a finite fluid depth // *Phys. Fluids.* — 2006. — **18**. — Art. No. 012103.
56. *Faltinsen O. M., Timokha A. N.* Adaptive multimodal approach to nonlinear sloshing in a rectangular tank // *J. Fluid Mech.* — 2001. — **432**. — P. 167–200.
57. *Faltinsen O. M., Timokha A. N.* Asymptotic modal approximation of nonlinear resonant sloshing in a rectangular tank with small fluid depth // *J. Fluid Mech.* — 2002. — **470**. — P. 319–357.
58. *Faltinsen O. M., Timokha A. N.* Sloshing. — Cambridge: Cambridge Univ. Press, 2009.
59. *Faltinsen O. M., Timokha A. N.* A multimodal method for liquid sloshing in a two-dimensional circular tank // *J. Fluid Mech.* — 2010. — **665**. — P. 457–479.
60. *Faltinsen O. M., Timokha A. N.* Natural sloshing frequencies and modes in a rectangular tank with a slat-type screen // *J. Sound and Vibration.* — 2011. — **330**. — P. 1490–1503.
61. *Faltinsen O. M., Timokha A. N.* Analytically approximate natural sloshing modes for a spherical tank shape // *J. Fluid Mech.* — 2012. — **703**. — P. 391–401.
62. *Faltinsen O. M., Timokha A. N.* On sloshing modes in a circular tank // *J. Fluid Mech.* — 2012. — **695**. — P. 467–477.
63. *Faltinsen O. M., Timokha A. N.* Multimodal analysis of weakly nonlinear sloshing in a spherical tank // *J. Fluid Mech.* — 2013. — **719**. — P. 129–164.
64. *Faltinsen O. M., Timokha A. N.* Nonlinear sloshing in a spherical tank // *OMAE 2013: Proc. ASME 32nd Int. Conf. Ocean, Offshore and Arctic Eng. (June 9-14, Nantes, France).* — 2013.
65. *Faltinsen O. M., Timokha A. N.* Analytically approximate natural sloshing modes and frequencies in two-dimensional tanks // *Eur. J. Mech. B/Fluids.* — 2014. — **47**. — P. 176–187.
66. *Feschenko S. F., Lukovsky I. A., Rabinovich B. I., Dokuchaev L. V.* Methods of determining the added liquid mass in mobile cavities (in Russian). — Kiev: Naukova Dumka, 1969.
67. *Fontenot L. L.* Dynamic stability of space vehicles. Vol. 7. The dynamics of liquid in fixed and moving containers // *Techn. Rep. NASA, CR-941.* — Washington: NASA, 1968.

68. *Forbes L. K.* Sloshing of an ideal fluid in a horizontally forced rectangular tank // *J. Eng. Math.* — 2010. — **66**, № 4. — P. 395–412.
69. *Fultz D.* An experimental note on finite-amplitude standing gravity waves // *J. Fluid Mech.* — 1962. — **13**, № 2. — P. 192–212.
70. *Funakoshi M., Inoue S.* Surface waves due to resonant oscillation // *J. Fluid Mech.* — 1988. — **192**. — P. 219–247.
71. *Funakoshi M., Inoue S.* Bifurcations in resonantly forced water waves // *Eur. J. Mech. B/Fluids.* — 1991. — **10**. — P. 31–36.
72. *Gavrilyuk I., Hermann M., Lukovsky I. et al.* Computer-based multimodal modeling of liquid sloshing in a circular cylindrical tank // *Repts Numer. Math. FSU Jena.* — 2010. — № 10-03. — P. 1–14.
73. *Gavrilyuk I., Hermann M., Lukovsky I. et al.* Natural sloshing frequencies in rigid truncated conical tanks // *Eng. Comput.* — 2008. — **25**, № 6. — P. 518–540.
74. *Gavrilyuk I., Hermann M., Lukovsky I. et al.* Multimodal method for linear liquid sloshing in a rigid tapered conical tank // *Eng. Comput.* — 2012. — **29**, № 2. — P. 198–220.
75. *Gavrilyuk I., Hermann M., Lukovsky I. et al.* Weakly-nonlinear sloshing in a truncated circular conical tank // *Fluid Dynam. Res.* — 2013. — **45**. — Paper ID 055512. — P. 1–30.
76. *Gavrilyuk I., Hermann M., Lukovsky I. et al.* Weakly-nonlinear sloshing in a truncated circular conical tank // *Fluid Dynam. Res.* — 2013. — **45**. — Paper ID 055512. — P. 1–30.
77. *Gavrilyuk I., Lukovsky I., Timokha A. N.* A multimodal approach to nonlinear sloshing in a circular cylindrical tank // *Hybrid Methods Eng.* — 2000. — **2**, № 4. — P. 463–483.
78. *Gavrilyuk I., Lukovsky I., Timokha A. N.* Sloshing in circular conical tank // *Hybrid Methods Eng.* — 2001. — **3**, № 4. — P. 322–378.
79. *Gavrilyuk I., Lukovsky I., Trotsenko Y., Timokha A.* Sloshing in a vertical circular cylindrical tank with an annular baffle. Pt 1. Linear fundamental solutions // *J. Eng. Math.* — 2006. — **54**. — P. 71–88.
80. *Gavrilyuk I., Lukovsky I., Trotsenko Y., Timokha A.* Sloshing in a vertical circular cylindrical tank with an annular baffle. Pt 2. Nonlinear resonant waves // *J. Eng. Math.* — 2007. — **57**. — P. 57–78.
81. *Gavrilyuk I. P., Lukovsky I. A., Timokha A. N.* Linear and nonlinear sloshing in a circular conical tank // *Fluid Dynam. Res.* — 2005. — **37**. — P. 399–429.
82. *Guo L., Morita K.* Numerical simulation of 3D sloshing in a liquid-solid mixture using particle methods // *Int. J. Numer. Methods Eng.* — 2013. — **95**, № 9. — P. 771–790.
83. *Hamelin J. A., Love J. S., Tait M. J., Wilson J. C.* Tuned liquid dampers with a Keulegan–Carpenter number-dependent screen drag coefficient // *J. Fluids and Structures.* — 2013. — **43**. — P. 271–286.
84. *Hargneaves R.* A pressure-integral as kinetic potential // *Phil. Mag.* — 1908. — **16**. — P. 436–444.
85. *Henderson D. M., Miles J. W.* Faraday waves in 2:1 resonance // *J. Fluid Mech.* — 1991. — **222**. — P. 449–470.
86. *Hermann M., Timokha A.* Modal modelling of the nonlinear resonant sloshing in a rectangular tank I: A single-dominant model // *Math. Models and Methods Appl. Sci.* — 2005. — **15**, № 9. — P. 1431–1458.
87. *Hermann M., Timokha A.* Modal modelling of the nonlinear resonant fluid sloshing in a rectangular tank II: Secondary resonance // *Math. Models and Methods Appl. Sci.* — 2008. — **18**, № 11. — P. 1845–1867.
88. *Holmes P.* Chaotic motions in a weakly nonlinear model for surface waves // *J. Fluid Mech.* — 1986. — **162**. — P. 365–388.
89. *Hutton R. E.* An investigation of nonlinear, nonplanar oscillations of fluid in cylindrical container // *Techn. Rept. NASA, D-1870.* — NASA, 1963.
90. *Hutton R. E.* Fluid-particle motion during rotary sloshing // *J. Appl. Mech. Trans. ASME.* — 1964. — **31**, № 1. — P. 145–153.
91. *Ibrahim R. A.* Liquid sloshing dynamics. — Cambridge Univ. Press, 2005.
92. *Ibrahim R. A.* Recent advances in physics of fluid parametric sloshing and related problems // *J. Fluids Eng.* — 2015. — **137**. — Paper ID 090801-1.
93. *Ibrahim R. A., Pilipchuk V. N., Ikeda T.* Recent advances in liquid sloshing dynamics // *Appl. Mech. Rev.* — 2001. — **54**, № 2. — P. 133–199.

94. Ikeda T. Nonlinear parametric vibrations of an elastic structure with a rectangular liquid tank // *Nonlinear Dynamics*. — 2003. — **33**, № 1. — P. 43–70.
95. Ikeda T. Autoparametric resonances in elastic structures carrying two rectangular tanks partially filled with liquid // *J. Sound and Vibration*. — 2007. — **302**, № 4–5. — P. 657–682.
96. Ikeda T., Ibrahim R. A. Nonlinear random responses of a structure parametrically coupled with liquid sloshing in a cylindrical tank // *J. Sound and Vibration*. — 2005. — **284**. — P. 75–102.
97. Ikeda T., Ibrahim R. A., Harata Y., Kuriyama T. Nonlinear liquid sloshing in a square tank subjected to obliquely horizontal excitation // *J. Fluid Mech.* — 2012. — **700**. — P. 304–328.
98. Ikeda T., Nakagawa N. Nonlinear vibrations of a structure caused by water sloshing in a rectangular tank // *J. Sound and Vibration*. — 1997. — **201**, № 1. — P. 23–41.
99. Joukowski N. On motions of a rigid body with cavity filled by homogeneous liquid (in Russian) // *J. Rus. Phys.-Math. Soc.* — 1885. — **16**. — P. 30–85.
100. Keulegan G. Energy dissipation in standing waves in rectangular basins // *J. Fluid Mech.* — 1959. — **6**, № 1. — P. 33–50.
101. Kolaie A., Rakheja S., Richard M. J. Effects of tank cross-section on dynamic fluid slosh loads and roll stability of a partly-filled tank truck // *Eur. J. Mech. B/Fluids*. — 2014. — **46**. — P. 46–58.
102. Kolaie A., Rakheja S., Richard M. J. A coupled multimodal and boundary-element method for analysis of anti-slosh effectiveness of partial baffles in a partly-filled container // *Comput. and Fluids*. — 2015. — **107**. — P. 43–58.
103. Kolesnikov K. Propellant rocket as a control object (in Russian). — Moscow: Mashinostroenie, 1969.
104. Komarenko A. Asymptotic expansion of eigenfunctions of a problem with a parameter in the boundary conditions in a neighborhood of angular boundary points // *Ukr. Math. J.* — 1980. — **32**, № 5. — P. 433–437.
105. Komarenko A. Asymptotics of solutions of spectral problems of hydrodynamics in the neighborhood of angular points // *Ukr. Math. J.* — 1998. — **50**, № 6. — P. 912–921.
106. Kopachevsky N., Krein S. Operator approach to linear problems of hydrodynamics. Vol. 2. Nonself-adjoint problems for viscous fluid. — Basel etc.: Birkhäuser, 2003.
107. Kopachevsky N. D., Krein S. G. Operator approach to linear problems of hydrodynamics. Vol. 1. Self-adjoint problems for an ideal fluid. — Basel etc.: Birkhäuser, 2003.
108. Krasnopolskaya T. S., Shvets A. Y. Dynamical chaos for a limited power supply for fluid oscillations in cylindrical tanks // *J. Sound and Vibration*. — 2009. — **322**. — P. 532–553.
109. Krein S. G. Oscillations of a viscous fluid in a container (in Russian) // *Dokl. Akad. Nauk SSSR*. — 1964. — **159**. — P. 262–265.
110. Kubenko V. D., Koval'chuk P. S. Nonlinear problems of the dynamics of elastic shells partially filled with a liquid // *Int. Appl. Mech.* — 2000. — **36**, № 4. — P. 421–448.
111. La Rocca M., Scortino M., Boniforti M. A. A fully nonlinear model for sloshing in a rotating container // *Fluid Dynamics Res.* — 2000. — **27**. — P. 225–229.
112. Lee D. Y., Choi H. S., Faltinsen O. M. A study on the sloshing effect on the motion of 2d boxes in regular waves // *J. Hydrodynamics*. — 2010. — **22**, № 5. — P. 429–433.
113. Lee D. Y., Jo G. N., Kim Y. H. et al. The effect of sloshing on the sway motions of 2D rectangular cylinders in regular waves // *J. Marine Sci. and Technology*. — 2011. — **16**, № 3. — P. 323–330.
114. Limarchenko O. S. Direct method for solution of nonlinear dynamic problem on the motion of a tank with fluid (in Ukrainian) // *Dop. Akad. Nauk UkrRSR. Ser. A*. — 1978. — **11**, № 11. — P. 99–1002.
115. Limarchenko O. S. Variational-method investigation of problems of nonlinear dynamics of a reservoir with a liquid // *Sov. Appl. Mech.* — 1980. — **16**, № 1. — P. 74–79.
116. Limarchenko O. S. Application of a variational method to the solution of nonlinear problems of the dynamics of combined motions of a tank with fluid // *Sov. Appl. Mech.* — 1983. — **19**, № 11. — P. 1021–1025.
117. Limarchenko O. S. Direct method of solving problems on the combined spatial motions of a body-fluid system // *Sov. Appl. Mech.* — 1983. — **19**, № 8. — P. 715–721.

118. *Limarchenko O. S.* Nonlinear properties for dynamic behavior of liquid with a free surface in a rigid moving tank // *Int. J. Nonlinear Sci. and Numer. Simulation.* — 2000. — **1**, № 2. — P. 105–118.
119. *Limarchenko O. S.* Specific features of application of perturbation techniques in problems of nonlinear oscillations of a liquid with free surface in cavities of noncylindrical shape // *Ukr. Math. J.* — 2007. — **59**, № 1. — P. 45–69.
120. *Limarchenko O. S., Semenova I. Y.* Nonlinear wave generation on a fluid in a moving parabolic tank // *Int. Appl. Mech.* — 2011. — **46**, № 8. — P. 864–868.
121. *Limarchenko O. S., Yasinskii V. V.* Nonlinear dynamics of constructions with a fluid (in Russian). — Kiev: Kiev Polytechn. Univ., 1996.
122. *Love J. S., Tait M. J.* Nonlinear simulation of a tuned liquid damper with damping screens using a modal expansion technique // *J. Fluids and Structures.* — 2010. — **26**, № 7–8. — P. 1058–1077.
123. *Love J. S., Tait M. J.* Non-linear multimodal model for tuned liquid dampers of arbitrary tank geometry // *Int. J. Non-Linear Mech.* — 2011. — **46**, № 8. — P. 1065–1075.
124. *Love J. S., Tait M. J.* Nonlinear multimodal model for TLD of irregular tank geometry and small fluid depth // *J. Fluids and Structures.* — 2013. — **43**. — P. 83–44.
125. *Love J. S., Tait M. J.* Parametric depth ratio study on tuned liquid dampers: Fluid modelling and experimental work // *Comput. and Fluids.* — 2013. — **79**. — P. 13–26.
126. *Luke J. G.* A variational principle for a fluid with a free surface // *J. Fluid Mech.* — 1967. — **27**. — P. 395–397.
127. *Lukovskii I. A.* Variational formulation of nonlinear dynamic boundary problems of a finite liquid volume performing specified spatial motion // *Sov. Appl. Mech.* — 1980. — **16**, № 2. — P. 164–169.
128. *Lukovskii I. A.* Approximate method of solution of nonlinear problems in the dynamics of a liquid in a vessel executing a prescribed motion // *Sov. Appl. Mech.* — 1981. — **17**, № 2. — P. 172–178.
129. *Lukovskii I. A.* Variational methods of solving dynamic problems for fluid-containing bodies // *Int. Appl. Mech.* — 2004. — **40**, № 10. — P. 1092–1128.
130. *Lukovsky I., Ovchynnykov D., Timokha A.* Asymptotic nonlinear multimodal method for liquid sloshing in an upright circular cylindrical tank. Pt 1. Modal equations // *Nonlinear Oscillations.* — 2012. — **14**, № 4. — P. 512–525.
131. *Lukovsky I., Pilkevich A.* On liquid motions in an upright oscillating circular tank // *Numerical-analytical Studies of the Dynamics and Stability of Multidimensional Systems* (in Russian). — Kiev: Inst. Math., 1985. — P. 3–11.
132. *Lukovsky I., Solodun O., Timokha A.* Eigen oscillations of a liquid sloshing in truncated conical tanks (in Russian) // *Acoustic Bull.* — 2006. — **9**. — P. 42–61.
133. *Lukovsky I., Timokha A.* Modal modeling of nonlinear sloshing in tanks with non-vertical walls. Non-conformal mapping technique // *Int. J. Fluid Mech. Res.* — 2002. — **29**, № 2. — P. 216–242.
134. *Lukovsky I., Timokha A.* Combining Narimanov–Moiseev’ and Lukovsky–Miles’ schemes for nonlinear liquid sloshing // *J. Numer. and Appl. Math.* — 2011. — **105**, № 2. — P. 69–82.
135. *Lukovsky I. A.* On constructing a solution of a nonlinear problem on free oscillations of a liquid in basins of arbitray shape (in Ukrainian) // *Dop. AN UkrSSR. Ser. A.* — 1969. — № 3. — P. 207–210.
136. *Lukovsky I. A.* Nonlinear sloshing in tanks of complex geometrical shape (in Russian). — Kiev: Naukova Dumka, 1975.
137. *Lukovsky I. A.* Variational method in the nonlinear problems of the dynamics of a limited liquid volume with free surface (in Russian) // *Oscillations of Elastic Constructions with Liquid.* — Moscow: Volna, 1976. — P. 260–264.
138. *Lukovsky I. A.* Variational method for solving the nonlinear problem on liquid sloshing in tanks of complicated shape (in Russian) // *Dynamics and Stability of Managed Systems.* — Kiev: Inst. Math., 1977. — P. 45–61.
139. *Lukovsky I. A.* Usage of variational principle to derivations of equations of the body-liquid dynamics (in Russian) // *Dynamics of Spacecraft Apparatus and Study of the Space.* — Moscow, 1986. — P. 182–194.
140. *Lukovsky I. A.* Introduction to nonlinear dynamics of rigid bodies with the cavities partially filled by a fluid. — Kiev: Naukova Dumka, 1990.

141. *Lukovsky I. A.* On the theory of nonlinear sloshing of a weakly-viscous liquid (in Ukrainian) // *Dop. Nat. Acad. Sci. Ukraine.* — 1997. — № 10. — P. 80–84.
142. *Lukovsky I. A.* On solving spectral problems on linear sloshing in conical tanks (in Ukrainian) // *Dop. NAN Ukraine.* — 2002. — № 5. — P. 53–58.
143. *Lukovsky I. A.* A mathematical problem of wave liquid motions in reseivor with inclined walls // *Trans. Inst. Math. NAS Ukraine.* — 2005. — **2**, № 1. — P. 227–253.
144. *Lukovsky I. A.* Nonlinear dynamics: mathematical models for rigid bodies with a liquid. — De Gruyter, 2015.
145. *Lukovsky I. A., Barnyak M. Y., Komarenko A. N.* Approximate methods of solving the problems of the dynamics of a limited liquid volume (in Russian). — Kiev: Naukova Dumka, 1984.
146. *Lukovsky I. A., Bilyk A. N.* Forced sloshing in movable axisymmetric conical tanks // *Numerical-analytical Studies of the Dynamics and Stability of Multidimensional Systems (in Russian).* — Kiev: Inst. Math., 1985. — P. 12–26.
147. *Lukovsky I. A., Bilyk A. N.* Study of forced nonlinear sloshing in conical tanks with a small apex angle // *Applied Problems in the Dynamics and Stability of Mechanical Systems (in Russian).* — Kiev: Inst. Math., 1987. — P. 5–14.
148. *Lukovsky I. O., Ovchynnykov D. V.* Nonlinear mathematical model of the fifth order in the sloshing problem for a cylindrical tank // *Problems of the Dynamics and Stability of Multidimensional Systems (in Ukrainian).* — Kiev: Inst. Math. Nat. Acad. Sci. Ukraine, 2003. — **47**. — P. 119–160.
149. *Lukovsky I. O., Solodun O. V.* A nonlinear model of liquid motions in cylindrical compartment tanks (in Ukrainian) // *Dop. NAN Ukraine.* — 2001. — № 5. — P. 51–55.
150. *Lukovsky I. O., Solodun O. V.* Study of the forced liquid sloshing in circular tanks by using a seven-mode model of the third order // *Problems of the Dynamics and Stability of Multidimensional Systems (in Ukrainian).* — Kiev: Inst. Math. Nat. Acad. Sci. Ukraine, 2003. — **47**. — P. 161–179.
151. *Maggio O. D., Rehm A.* Nonlinear free oscillations of a perfect fluid in a cylindrical container // *AIAA Symp. Structural Dynamics and Aeroelasticity.* — 1965. — **30**. — P. 156–161.
152. *Martel A., Nicolás J. A., Vega J. M.* Surface-wave damping in a brimful circular cylinder // *J. Fluid Mech.* — 1998. — **360**. — P. 213–228.
153. *Matta E.* Sistemi di attenuazione della risposta dinamica a massa oscillante solida e fluida: Ph.D. thesis. — Torino, 2002.
154. *Mikishev G., Rabinovich B.* Dynamics of a solid body with cavities partially filled with liquid (in Russian). — Moskow: Mashinostroenie, 1968.
155. *Mikishev G., Rabinovich B.* Dynamics of thin-walled structures with compartments containing a liquid (in Russian). — Moskow: Mashinostroenie, 1971.
156. *Miles J.* Nonlinear surface waves in closed basins // *J. Fluid Mech.* — 1976. — **75**, № 3. — P. 419–448.
157. *Miles J.* Internally resonant surface waves in circular cylinder // *J. Fluid Mech.* — 1984. — **149**. — P. 1–14.
158. *Miles J.* Resonantly forces surface waves in circular cylinder // *J. Fluid Mech.* — 1984. — **149**. — P. 15–31.
159. *Miles J.* Parametrically excited, progressive cross-waves // *J. Fluid Mech.* — 1988. — **186**. — P. 129–146.
160. *Miles J.* Parametrically excited, standing cross-waves // *J. Fluid Mech.* — 1988. — **186**. — P. 119–127.
161. *Miles J.* On Faraday waves // *J. Fluid Mech.* — 1993. — **248**. — P. 671–683.
162. *Miles J.* Faraday waves: rolls versus squares // *J. Fluid Mech.* — 1994. — **269**. — P. 353–371.
163. *Miles J.* On Faraday waves // *J. Fluid Mech.* — 1994. — **269**. — P. 372–372.
164. *Miles J. W., Henderson D. M.* Anote on interior vs. boundary-layer damping of surface waves in a circular cylinder // *J. Fluid Mech.* — 1998. — **364**. — P. 319–323.
165. *Moiseev N.* Variational problems in the theory of oscillations of a liquid and a body with a liquid // *Variational Methods in the Problems of Oscillations of a Liquid and a Body with a Liquid (in Russian).* — Moscow, 1962. P. 9–118.
166. *Moiseev N., Petrov A.* Numerical methods for computing the eigenoscillations of a limited liquid volume (in Russian). — Comput. Center Acad. Sci. USSR, 1966.

167. *Moiseev N. N.* On the theory of nonlinear vibrations of a liquid of finite volume // *J. Appl. Math. and Mech.* — 1958. — **22**, № 5. — P. 860–872.
168. *Moiseyev N., Rumyantsev V.* Dynamic stability of bodies containing fluid. Vol. 6. Applied physics and engineering. — Berlin; Heidelberg: Springer, 1968.
169. *Moore R., Perko L.* Inviscid fluid flow in an accelerating cylindrical container // *J. Fluid Mech.* — 1964. — **22**. — P. 305–320.
170. *Morand J., Ohayon R.* Fluid structure interaction. Applied numerical methods. — Chichester etc.: John Wiley & Sons, 1995.
171. *Multer R.* Exact nonlinear model of wave generation // *J. Hydraulics Division, ASME.* — 1973. — **99 (HY1)**. — P. 31–46.
172. *Myshkis A., Babitskii V., Kopchavskii A. et al.* Low-gravity fluid mechanics: Mathematical theory of capillary phenomena. — Berlin; New York: Springer-Verlag, 1987.
173. *Nakayama T., Washizu K.* Nonlinear analysis of liquid motion in a container subjected to forced pitching oscillation // *Int. J. Numer. Meth. Eng.* — 1980. — **15**, № 8. — P. 1207–1220.
174. *Narimanov G.* Motions of a solid body whose cavity is partly filled by a liquid // *Appl. Math. and Mech.* — 1956. — **20**, № 1. — P. 21–38.
175. *Narimanov G.* On the oscillations of liquid in the mobile cavities (in Russian) // *Izv. AS USSR. OTN.* — 1957. — № 10. — P. 71–74.
176. *Narimanov G. S., Dokuchaev L. V., Lukovsky I. A.* Nonlinear dynamics of flying apparatus with liquid (in Russian). — Moscow: Mashinostroenie, 1977.
177. *Ockendon H., Ockendon J. H., Johnson A. D.* Resonant sloshing in shallow water // *J. Fluid Mech.* — 1986. — **167**. — P. 465–479.
178. *Ockendon J., Ockendon H.* Resonant surface waves // *J. Fluid Mech.* — 1973. — **59**. — P. 397–413.
179. *Ockendon J. R., Ockendon H., Waterhouse D. D.* Multi-mode resonance in fluids // *J. Fluid Mech.* — 1996. — **315**. — P. 317–344.
180. *Okamoto T., Kawahara M.* Two-dimensional sloshing analysis by Lagrangian finite element method // *Int. J. Numer. Methods Fluids.* — 1990. — **11**. — P. 453–477.
181. *Okhotsimskii D.* On the theory of a body motions when there is a cavity partly filled by a liquid // *Appl. Math. and Mech.* — 1956. — **20**, № 1. — P. 3–20.
182. *Ostrogradsky M.-A.* Mémoire sur la propagation des ondes dans un bassin cylindrique // *Mémoires de l'Académie Royale des Sciences, de l'Institut de France.* — 1832. — **III**. — P. 23–44.
183. *Ovsyannikov L., Makarenko N., Nalimov V. et al.* Nonlinear problems of the theory of surface and internal waves. — Novosibirsk: Nauka, 1985. — 322 p.
184. *Penny W., Price A.* Finite periodic stationary waves in a perfect liquid // *Phil. Trans. Royal Soc. A.* — 1952. — **244**. — P. 254–284.
185. *Perko L.* Large-amplitude motions of liquid-vapour interface in an accelerating container // *J. Fluid Mech.* — 1969. — **35**. — P. 77–96.
186. *Pilkevich A.* Analysis of forced liquid sloshing in co-axial cylindrical reservoirs (in Russian) // *Applied Methods of Studying the Physical-Mechanical Processes.* — Kiev: Inst. Math., 1979. — P. 49–63.
187. *Pilkevich A.* Constructing the approximate solutions of nonlinear equations on wave motions of a liquid in a container (in Russian) // *Dynamics and stability of mechanical systems.* — Kiev: Inst. Math. Nat. Acad. Sci. Ukraine, 1980. — P. 16–21.
188. *Prandtl L.* Erzeugung von Zirkulation beim Schütteln von Gefässen // *Z. angew. Math. und Mech.* — 1949. — **29**, 1/2. — S. 8–9.
189. *Rabinovich B.* Equations of perturbed motions of a solid body with a cylindrical cavity partly filled by a liquid // *Appl. Math. and Mech.* — 1956. — **20**, № 1. — P. 39–49.
190. *Rabinovich B.* Introduction to dynamics of spacecraft (in Russian). — Moscow: Mashinostroenie, 1975.
191. *Ramaswamy B., Kawara M., Nakayama T.* Lagrangian finite element method for the analysis of two-dimensional sloshing problems // *Int. J. Numer. Methods Fluids.* — 1986. — **6**, № 9. — P. 659–670.

192. *Rebouillat S., Liksonov D.* Fluid-structure interaction in partially filled liquid containers: A comparative review of numerical approaches // *Comput. and Fluids*. — 2010. — **39**. — P. 739–746.
193. *Rognebakke O. F., Faltinsen O. M.* Coupling of sloshing and ship motions // *J. Ship Res.* — 2001. — **47**, № 3. — P. 208–221.
194. *Royon-Lebeaud A., Hopfinger E., Cartellier A.* Liquid sloshing and wave breaking in circular and square-base cylindrical containers // *J. Fluid Mech.* — 2007. — **577**. — P. 467–494.
195. *Seliger E., Whitham G. B.* Variational principles in continuum mechanics // *Proc. Roy. Soc. A.* — 1968. — **305**. — P. 1–25.
196. *Shankar P., Kidambi R.* A modal method for finite amplitude, nonlinear sloshing // *Pramana*. — 2002. — **59**, № 4. — P. 631–651.
197. *Shao Y.-L., Faltinsen O.* Fully-nonlinear wave-current-body interaction analysis by a harmonic polynomial cell (HPC) method // 32nd Int. Conf. Ocean, Offshore and Arctic Eng. (Nantes, France, June 9–14, 2013). — 2013. — Paper ID: OMAE2013-10185.
198. *Shao Y.-L., Faltinsen O.* A harmonic polynomial cell (HPC) method for 3D Laplace equation with application in marine hydromechanics // *J. Comput. Phys.* — 2014. — **274**. — P. 312–332.
199. *Shvets A., Sirenko V.* Peculiarities of transition to chaos in nonideal hydrodynamics systems // *Chaotic Modeling and Simulation*. — 2012. — **2**. — P. 303–310.
200. *Sicilian J., Tegart J.* Comparison of FLOW-3D calculations with very large amplitude slosh data // *Proc. ASME/JSME Pressure Vessels and Piping Conf. (Honolulu, HI, July 23-27, 1989 (A90-32339 13-31))*. — New York: Amer. Soc. Mech. Eng., 1989. — P. 23–30.
201. *Solaas F.* Analytical and numerical studies of sloshing in tanks: Ph. D. thesis. — Norweg. Inst. Technology, 1995.
202. *Solaas F., Faltinsen O.* Combined numerical and analytical solution for sloshing in two-dimensional tanks of general shape // *J. Ship Res.* — 1997. — **41**, № 2. — P. 118–129.
203. *Stofan A., Armsted A.* Analytical and experimental investigation of forces and frequencies resulting from liquid sloshing in a spherical tank // *Techn. Rept. D-1281, NASA*. — Lewis Res. Center, Cleveland, Ohio, 1962.
204. *Stolbetsov V.* Nonsmall liquid oscillations in a right circular cylinder // *Fluid Dynamics*. — 1967. — **2**, № 2. — P. 41–45.
205. *Stolbetsov V.* Oscillations of liquid in a vessel in the form of a rectangular parallelepiped // *Fluid Dynamics*. — 1967. — **2**, № 1. — P. 44–49.
206. *Stolbetsov V.* Equations of nonlinear oscillations of a container partially filled with a liquid // *Fluid Dynamics*. — 1969. — **4**, № 2. — P. 95–99.
207. *Stolbetsov V., Fishkis V.* A mechanical model of a liquid performing small oscillations in a spherical cavity // *Fluid Dynamics*. — 1968. — **3**, № 5. — P. 79–81.
208. *Su T., Wang Y.* Numerical simulation of three-dimensional large amplitude liquid sloshing in cylindrical tanks subjected to arbitrary excitations // *Proc. 1990 Pressure Vessels and Piping Conf., ASME*. — New York, N.Y., 1990. — P. 127–148.
209. *Sumner I.* Experimental investigations of stability boundaries for planar and nonplanar sloshing in spherical tanks // *Techn. Rept. NASA, TN D-3210, 1966*.
210. *Sumner I., Stofan A.* An experimental investigation of the viscous damping of liquid sloshing in spherical tanks // *Techn. Rept. NASA, TN D-1991, 1963*.
211. *Sun P., Ming F., Zhang A.* Numerical simulation of interactions between free surface and rigid body using a robust SPH method // *Ocean Eng.* — 2015. — **98**. — P. 32–49.
212. *Takahara H., Hara K., Ishida T.* Nonlinear liquid oscillation in a cylindrical tank with an eccentric core barrel // *J. Fluids and Structures*. — 2012. — **35**. — P. 120–132.
213. *Takahara H., Kimura K.* Frequency response of sloshing in an annular cylindrical tank subjected to pitching excitation // *J. Sound and Vibration*. — 2012. — **331**, № 13. — P. 3199–3212.
214. *Trotsenko V. A.* Oscillations of a liquid in mobile containers with ribs (in Russian). — Kiev: Inst. Math., 2006.

215. *Utsumi M.* Theoretical determination of modal damping ratio of sloshing using a variational method // *J. Pressure Vessel Technology*. — 2011. — **133**. — Art. No. 011301-1. — P. 1–10.
216. *Vekua I. N.* On completeness of a system of harmonic polynomials in space // *Dokl. Akad. Nauk SSSR*. — 1953. — **90**. — P. 495–498.
217. *Vekua I. N.* New methods for solving elliptic equations. — New York: Intersci. Publ. John Wiley & Sons, Inc., 1967.
218. *Verhagen J. H. G., Wijngaarden L.* Non-linear oscillations of fluid in a container // *J. Fluid Mech.* — 1965. — **22**, № 4. — P. 737–752.
219. *Wang L., Wang Z., Li Y.* A SPH simulation on large-amplitude sloshing for fluids in a two-dimensional tank // *Earthquake Eng. and Eng. Vibration*. — 2013. — **12**, № 1. — P. 135–142.
220. *Waterhouse D. D.* Resonant sloshing near a critical depth // *J. Fluid Mech.* — 1994. — **281**. — P. 313–318.
221. *Whitham G. B.* Non-linear dispersion of water waves // *J. Fluid Mech.* — 1967. — **27**. — P. 399–412.
222. *Whitham G. B.* Linear and nonlinear waves. — New York: Intersci., 1974.
223. *Wigley N. M.* Asymptotic expansions at a corner of solutions of mixed boundary value problems (Asymptotic expansions at corner of solutions of elliptic second order partial differential equations in two variables) // *J. Math. and Mech.* — 1964. — **13**. — P. 549–576.
224. *Wigley N. M.* Mixed boundary value problems in plane domains with corners // *Math. Z.* — 1970. — **115**. — S. 33–52.
225. *Wu G. X.* Second-order resonance of sloshing in a tank // *Ocean Eng.* — 2007. — **34**. — P. 2345–2349.
226. *Yan-Sheng Y., Xing-Rui M., Ben-Li W.* Multidimensional modal analysis of liquid nonlinear sloshing in right circular cylindrical tank // *Appl. Math. and Mech.* — 2007. — **28**, № 8. — P. 1997–1018.
227. *Zhang C.* Application of an improved semi-Lagrangian procedure to fully-nonlinear simulation of sloshing in non-wallsided tanks // *Applied Ocean Res.* — 2015. — **51**. — P. 74–92.
228. *Zhang C., Li Y., Meng Q.* Fully nonlinear analysis of second-order sloshing resonance in a three-dimensional tank // *Comput. and Fluids*. — 2015. — **116**. — P. 88–104.

Received 08.06.15