


- 33 (34.7%)
 - 22 (23.2%).
 65
 10-
 100%.
 761 - 24.8±4.4. 2011
 65 (42.05%) 441 (57.95%). - 320 « » (88%)
 2003
 «Biostat» (2006) - (1999). 21-22
 2001 (64,3%) [16].
 (64%). 761
 327
 (43%). - 95
 (12.5%), -40 (42.1%),




.1.

65
 100%.
 7%.
 [2,10,12].
 65 >

(29%).
CPI

- 4.12±1.1.
0.09±0.1



.2.

(%)

65

44.4% , 38.2% , 1% .

65 76.7±19.6% 40%

1. 2. 3. 4. 5. 6. 7. 8. 9. 10.

2001.- 2.- 31-36. 2001.- 208 2007. 108-109 С.В. 2007. 1.- 76-78 2004. 2. 15-18. 2004, .1 91-95 2004.- 6.- 46 67. 2003.- 1.- 14-19. 2003.- 169-173. 2005. 53 .

(III)

11. Bohmer F. Aufgaben der Prävention in der Gerontologie // Wien. Med. Wochenschr.. 2001. Bd. 151. n. 18/20. S. 468-471.

12. Chalmers J.M. Oral health promotion for our ageing Australian population // Austr. Dent. J. 2003.- Vol. 48. 1.- P. 2-9.

13. Christensen G.J. Providing oral care for the aging patient // J. Amer. Dent. Ass.- 2007.- Vol. 138. 2.- P. 239-242.

14. Maupome G., Gullion C.M., White B.A., Wyatt C.C., Williams P.M. Oral disorders and chronic systemic diseases in very old adults living in institutions // Spec. Care Dentist. 2003. vol. 23. n. 6. P. 199-208.

15. Su J., Lustbader E., Solomowitz B.H., Dowrich J.A. Geriatric dentistry: a review for the general dentist // Texas dent. J.-2003.- 7.- P. 597-602.

16. The demographic handbook of Armenia. National statistical service of the Republic of Armenia, 2011, 120p.